		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Que	Question Working		Answer	Mark	Notes
1.	(a)		Hexagon	1	B1 cao
	(b)		8	1	B1 cao
2.	(a)		15 minutes	2	B1 15
					B1 (indep) minutes
	(b)		3 05	2	M1 for intention to add 10 minutes and 55 minutes to 2 o'clock
					A1 3 05 (oe)
	(c)		No with reason	2	M1 for a method to add 75 minutes to '3 05' or to work out the difference between '3 05' and 4 pm or to subtract 75 minutes from 4 pm
					C1(dep M1) for conclusion based on appropriate working and correct time calculations, ft from (b)

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Que	Question Working		Answer	Mark	Notes
3.	(a) (b)		126, 21 Yes with £483	3	B1 for 126 (seats)  M1 for method identified to divide number of people by 6, e.g. "126" ÷ 6 or 84 ÷ 6 (= 14) or 42 ÷ 6 (=7)  A1 for 21 (tables)  M1 for 84 × 4.5(0) ( = 378) or 42 × 2.5(0) ( = 105)  M1 for 84 × 4.5(0) + 42 × 2.5(0) or "378" + "105"
					A1 for e.g. yes and (£)483 or yes with (£)17 left
4.	(a)		11	1	B1 cao
	(b)		18	2	M1 for subtracting 13 and multiplying 6 in any order
					A1 cao
5.	(a)		Newcastle	1	B1 cao
	(b)		3	1	B1 cao
	(c)		-1	2	M1 for intention to find middle of –5 and 3
					e.g., may see $-5$ and 3 identified on a correct number line or $(-5+3) \div 2$ or $-5+(35) \div 2$ or $3-(35) \div 2$
					A1 cao

		1MA1 Pra	ctice papers Set 4: Pap	oer 3F (R	egular) mark scheme – Version 1.0
Que	nestion Working Answer Mark Notes		Notes		
6.		Food Mart: 10 pots cost 3.60 Jim's Store: 10 pots cost 3.15 + 35p =	Jim's store with reason		M1 for 180 ÷ 5 oe or 105 ÷ 3 (oe) or 36 or 35 (oe) seen  A1 36 and 35 or 0.36 and 0.35  A1 for correct decision based on their values, dependent
		£3.50			on M1 scored
7.		5 × 2	10	1	B1 cao
8.		7120 ÷ 8	890	2	M1 for 7120 ÷ 8 or 7120 ÷ 480 A1 cao
9.	(a)		13	1	B1
	(b)		7e + 4f	2	B2 (B1 for 7 <i>e</i> or 4 <i>f</i> )
	(c)		3(2w+5)	1	B1
	(d)	$x^2 + 4x + 7x + 28$		2	M1 for 3 correct terms out of 4 or for 4 correct terms, ignoring signs
					or for $x^2 + 11x + c$ for any non-zero value of $c$ or for + $11x + 28$
			$x^2 + 11x + 28$		A1

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0			
Que	stion	Working	Answer	Mark	Notes			
10.	(i)	160 - 90 = 70; 180 - 90 - 70 or	20	3	M1 for 180 – 90 – (160 – 90) or 180 – 90 – 70 or 180 – 160 (oe)			
		180 – 160			A1 cao			
	(ii)		Geometric reasoning		B1 for <u>angles</u> in a <u>triangle</u> add up to <u>180°</u> or <u>alternate angles</u> are equal			
11.	(a)	$\frac{9}{15}$	$\frac{3}{5}$	2	M1 for $\frac{9}{15}$ or $\frac{a}{15}$ or $\frac{9}{b}$			
					A1 cao			
	(b)		4	2	M1 for a process to reduce by 2 shaded triangles and 1 unshaded triangle			
					or $2 \times a$ and $1 \times a$ where $a = 2, 3, 4$ or $5$			
					A1 cao			
12.	(a)		$p^6$	1	B1 cao			
	(b)		$t^5$	1	B1 cao			
	(c)		6	1	B1 cao			
	(d)		4	1	B1 cao			

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Que	stion	Working	Answer	Mark	Notes
13.			1.9 km or 1900 m	3	M1 for 1.25 × 1000 (= 1250) or 650 ÷ 1000 (= 0.65)  M1 for "1250" + 650 or 1.25 +"0.65"  A1 for 1.9 km or 1900 m
14.		x     -2     -1     0     1     2     3       y     -10     -6     -2     2     6     10	correct line	3	M1 for at least 2 correct attempts to find points by substituting values of <i>x</i> .  M1 ft for plotting at least 2 of their points (any points plotted from their table must be correct)  A1 for correct line between -2 and 3
15.	(a) (b)	$P(Jean wins) = \frac{6}{16}$ $\frac{6}{16} \times 80$	1,5, 1,6, 1,7, 1,8, 2,5, 2,6, 2,7, 2,8, 3,5, 3,6, 3,7, 3,8, 4,5, 4,6, 4,7, 4,8	3	B2 for all 16 combinations (accept 1,5 etc. and ignore repeats)  (B1 for at least 4 correct combinations)  B1 for P(Jean wins) = $\frac{6}{16}$ oe  M1 for ' $\frac{6}{16}$ ' × 80  A1 cao

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0				
Question		Working	Answer	Mark	Notes				
16.	(a)		$c$ $^8$ $k$ $^{20}$	1	B1				
	(b)	$12x^2 - 3x + 20x - 5$	$12x^2 + 17x - 5$	2	B2 for fully correct				
					(B1 for 3 out of 4 terms correct in working including signs OR 4 terms correct, ignore signs. In a grid the 20x need not be signed)				
	(c)	(x-5)(x+2)=0	5 and −2	3	M1 for $(x \pm 5)(x \pm 2)$				
					A1 for $(x-5)(x+2) (=0)$				
					B1 ft (dep on M1) for $x = 5$ and $-2$				
17.			$36.5 \le H < 37.5$	2	B1 36.5				
					B1 37.5				

	1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0
Question	Working	Answer	Mark	Notes
18.	$425 \div 17 = 25$ Flour: $8 \times 25 = 200g$ Butter: $4 \times 25 = 100g$ Jam: $5 \times 25 = 125g$ Total weight for 200 rolls: $= \text{total grams} \times 200 \div 1000$ Flour: $200 \times 0.2 = 40 \text{ kg}$ Butter: $100 \times 0.2 = 20 \text{ kg}$ Jam: $125 \times 0.2 = 25 \text{ kg}$ Total cost $= 40 \times 40p$ $+ 20 \times £2.50 + 25 \times £1$ $= £16 + £50 + £25$	91	6	M1 for 425 ÷ '8+4+5' or 25 seen  M1 for two of 8 × 25 (= 200,) 4 × 25 (= 100), 5 × 25 (= 125)  M1 for two of '200' × 200 (= 40 000),     '100' × 200 (= 20 000) '125' × 200 (= 25 000)  M1 for converting g to kg (at least two ingredients)     (= 40, 20, 25)  M1 for '40' × 40p + '20' × £2.50 + '25' × £1     (= £16 + £50 + £25)  A1 for 91 or 91.00
19.		80	4	B1 for $EBF = 50$ or $ABE = 50$ M1 for angles given that can lead to $x = 80$ as the next step e.g. $EBF = 50$ and $ABE = 50$ e.g. $EBF = 50$ and $BFG = 100$ e.g. $EBF = 50$ and $BFE = 80$ e.g. $EBF = 50$ and $DEB = 130$ and $ABE = 50$ A1 cao  C1 for stating correct reasons appropriate to their method shown

		1MA1 Pra	ctice papers Set 4: Pap	er 3F (Re	egular) mark scheme – Version 1.0			
Question Working		Working	Answer	Mark	Notes			
20.	(a)		0.8 on 1st branch 0.3 and 0.05 on 2nd branches	2	B1 0.8 (oe) on 1st branch B1 0.3 and 0.05 (oe) on 2nd branches			
	(b)	$0.2 \times 0.3$	0.06	2	M1 $0.2 \times '0.3'$ A1 $0.06$ ft from '0.3' in the tree diagram			
21.		use of cos $\cos ("x") = \frac{8.3}{9.5} (=0.87)$ or $("x" =) \cos^{-1}(\frac{8.3}{9.5})$	29.1	3	M1 use of cosine (must be selected for use in trig ratio <b>NOT</b> cosine rule)  or M2 for sin and $\frac{\sqrt{"21.36"}}{9.5}$ following correct Pythagoras  or M2 for tan and $\frac{\sqrt{"21.36"}}{8.3}$ following correct Pythagoras  or correct Pythagoras and then correct use of sine or cosine rule with "21.36"  A1 for awrt 29.1, e.g. (29.1103)			

## **National performance data from Results Plus**

	Origin	al source	of questi	ons				Mean scor	e of studer	nts achievi	ng grade:	
						Max				_	_	
Qn	Spec	Paper	Session	Qn	Topic	score	ALL	С	D	Е	F	G
1	1MA0	2F	1506	Q02	Properties of 2D shapes	2	1.63	1.87	1.78	1.70	1.59	1.42
2	1MA0	2F	1506	Q08	Time calculations	6	5.31	5.84	5.75	5.61	5.37	4.88
3	1MA0	2F	1406	Q12	Decimals	6	4.99	5.83	5.72	5.54	5.18	4.44
4	5MM2	2F	1311	Q08	Derive expressions	3	2.53	2.88	2.87	2.86	2.10	1.70
5	1MA0	2F	1411	Q07	Directed numbers	4	3.38	3.73	3.60	3.37	3.03	2.54
6	1380	2F	1011	Q14	Ratio	3	2.16	2.77	2.52	2.03	1.21	0.51
7	1380	2F	1006	Q03b	Volume	1	0.77	0.89	0.81	0.76	0.69	0.51
8	1380	2H	1011	Q13	Compound measures	2	1.77	1.76	1.59	1.31		
9	4MA0(R)	1F	1501	Q08	Expand expressions	6	4.52	5.13	4.46	2.50	3.00	4.00
10	5AM2	2F	1206	Q13	Angles	3	1.39	2.12	1.40	0.91	0.50	0.58
11	5MM2	2F	1111	Q10	Ratio	4	2.14	2.70	2.47	1.94	1.48	1.24
12	1MA0	2H	1406	Q10	Index laws	4	2.87	2.69	1.78	0.77		
13	1MA0	2F	1311	Q09	Conversions	3	0.88	1.82	1.04	0.60	0.25	0.11
14	1380	2F	1106	Q19	Graphs of linear equations	3	0.55	1.56	0.63	0.17	0.03	0.01
15	5AM2	2F	1206	Q18	Sample space diagrams	5	1.95	2.43	2.00	1.78	1.26	1.20
16	1380	2H	1106	Q18	Solve quadratic equations	6	2.66	1.11	0.35	0.10		
17	NEW				Error intervals	2			No data a	available		
18	5AM2	2H	1211	Q12	Ratio	6	3.10	2.40	1.87	0.43		
19	2MB01	2H	1406	Q07	Angles and parallel lines	4	2.25	1.96	1.08	0.52		
20	5AM2	2F	1106	Q20	Probability tree diagrams	4	0.59	1.00	1.22	0.50	0.62	0.17
21	4MA0	1H	1305	Q10	Trigonometry	3	2.71	2.14	1.23	0.41		
						80						